

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant
Serial No. : 10/609,449
Filed : 6/27/2003
Patent No. :
Issue Date :
Title : Battery-Powered Microstimulator

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

REQUEST TO WITHDRAW AS ATTORNEY OR AGENT OF RECORD

A Request to Withdraw as Attorney or Agent of Record in the above-identified application is attached.

Please apply any charges or credits to Deposit Account No. 06-1050.

CERTIFICATE OF MAILING BY FIRST CLASS MAIL

I hereby certify under 37 CFR §1.8(a) that this correspondence is being deposited with the United States Postal Service as first class mail with sufficient postage on the date indicated below and is addressed to the Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

Date of Deposit

February 6, 2008

Signature

Rita M. Liston

Typed or Printed Name of Person Signing Certificate



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

REQUEST FOR WITHDRAWAL AS ATTORNEY OR AGENT


Please withdraw the undersigned as attorney(s) or agent(s) for the patent(s) and/or patent application(s) listed in the attached Schedule, titled "Withdrawal Schedule for Bryant R. Gold and Laura Haburay Bishop – January 2008".

The reasons for this request are ownership transfer of the listed patents and patent applications.


The correspondence address is NOT affected by this withdrawal.

Respectfully submitted,


Date: 23 JAN 2008


Bryant R. Gold
Reg No. 29,715

Date: 2008 JAN 23


Laura Haburay Bishop
Reg No. 47,424

25129 Rye Canyon Loop
Valencia, CA 91355
Telephone: (661) 362-1771 or (760) 788-8138
Facsimile: (661) 362-1507 or (760) 788-9629



Withdrawal Schedule for Bryant R. Gold and Laura Haburay Bishop – January 2008

Page 1

| Docket Number | Filing Number | Application Number | Filing Date | Patent Number | Issue Date | Title |
|---------------|---------------|--------------------|-------------|---------------|------------|--|
| 05-00435 | 1 | 60/392,475 | 6/28/2002 | | | Battery-Powered Microstimulator and Method of Making Same |
| 05-00435 | 2 | 10/607,962 | 6/27/2003 | 7,177,698 | 2/13/2007 | Telemetry System for Use with Microstimulator |
| 05-00435 | 3 | 10/607,963 | 6/27/2003 | | | Microstimulator Having Self-Contained Power Source |
| 05-00435 | 4 | 10/609,449 | 6/27/2003 | | | Chair Pad Charging and Communication System for a Battery-Powered Microstimulator |
| 05-00435 | 5 | 10/609,452 | 6/27/2003 | 7,120,992 | 10/17/2006 | Method of Making an Electronic Module\n\nBattery-Powered Microstimulator and Method of Making Same (former)\n |
| 05-00435 | 6 | 10/609,457 | 6/27/2003 | 7,132,173 | 11/7/2006 | Self-Centering Braze Assembly |
| 05-00435 | 7 | 10/691,201 | 10/22/2003 | 7,103,408 | 9/5/2006 | Electrode Assembly for a Microstimulator |
| 05-00435 | 8 | 11/034,190 | 1/11/2005 | | | Systems and Methods for Communicating with or Providing Power to an Implantable Stimulator |
| 05-00435 | 9 | 11/043,404 | 1/25/2005 | | | Systems and Methods for Communicating with an Implantable Stimulator |
| 05-00435 | 10 | 11/043,642 | 1/25/2005 | | | Systems and Methods for Providing Power to a Battery in an Implantable Stimulator |
| 05-00435 | 11 | 11/516,867 | 9/7/2006 | | | Assembly for a Microstimulator |
| 05-00435 | 12 | 11/534,548 | 9/22/2006 | | | Method for Controlling Telemetry in an Implantable Medical Device Based on Power Source Capacity |
| 05-00435 | 13 | 11/545,334 | 10/10/2006 | | | Electronic Module Design to Maximize Volume Efficiency |
| 05-00435 | 14 | 11/557,043 | 11/6/2006 | | | Self-Centering Braze Assembly Methods |
| 05-00435 | 15 | 11/624,364 | 1/18/2007 | | | Telemetry System for Use with Microstimulator\n\nBi-Directional Telemetry System for Use with Microstimulator (former)\n |
| 05-00440 | | | | | | Connector Systems for Implantable Pulse Generators |
| 05-00441 | | 60/096,495 | 8/14/1998 | | | Bionic Neurons For Treatment of Sleep Apnea |
| 05-00441 | 1 | 09/370,082 | 8/6/1999 | 6,240,316 | 5/29/2001 | Implantable Microstimulation System for Treatment of Sleep Apnea |
| 05-00441 | 2 | 09/812,447 | 3/20/2001 | 6,345,202 | 2/5/2002 | Method of Treating Obstructive Sleep Apnea Using Implantable Electrodes |
| 05-00450 | 1 | 60/156,980 | 10/1/1999 | | | Implantable Microdevice with Extended Lead and Remote Electrode |
| 05-00450 | 2 | 09/624,130 | 7/24/2000 | | | Implantable Microdevice with Extended Lead and Remote Electrode |
| 05-00450 | 3 | 10/188,465 | 7/2/2002 | | | Implantable Microdevice with Extended Lead and Remote Secondary Coil |
| 05-00450 | 4 | 10/353,101 | 1/27/2003 | | | Implantable Microdevice with Extended Lead and Remote Electrode |
| 05-00454 | 1 | 60/172,166 | 12/17/1999 | | | Paddle Electrode Array Having Multiple Columns of Offset Electrodes |
| 05-00454 | 2 | 09/735,317 | 12/12/2000 | | | Paddle Electrode Array Having Multiple Columns of Offset Electrodes |
| 05-00466 | 1 | 60/111,103 | 12/7/1998 | | | Implantable Connector |
| 05-00466 | 2 | 09/455,046 | 12/6/1999 | 6,321,126 | 11/20/2001 | Implantable Connector |
| 05-00472 | 1 | 60/118,840 | 2/5/1999 | | | Implantable Microstimulation System for Obstructive Sleep Apnea |
| 05-00473 | | 60/118,841 | 2/5/1999 | | | Insertion Tool and Method of Placement for Elongate Electrode Having Oversize Proximal Connector |

BG 1-21-08

AK 1/23/08